



IDAHO STATE BOARD OF DENTISTRY

◆ PO BOX 83720 BOISE, ID 83720-0021 ◆ PHONE: (208) 334-2369 ◆ FAX: (208) 334-3247
◆ WEBSITE: www.isbd.idaho.gov ◆ EMAIL: sbdinfo@isbd.idaho.gov

**NOTIFICATION TO BOARD REGARDING USE OF OTHER ANESTHESIA PERSONNEL
AS REQUIRED BY IDAPA 19.0101.062**

A dentist who does not hold an anesthesia permit may perform dental procedures in a dental office on a patient who receives anesthesia induced by an anesthesiologist, a certified registered nurse anesthetist (CRNA), or another dentist with an anesthesia permit as follows:

- 01. The dentist shall have the same personnel, facilities equipment and drugs available during the procedure and during recovery as required of a dentist who has a permit for the level of anesthesia being provided.*
- 02. The qualified anesthesia provider who induces anesthesia shall monitor the patient's condition until the patient is discharged and record the patient's condition at discharge in the patient's dental record as required by the rules applicable to the level of anesthesia being induced. The anesthesia record shall be maintained in the patient's dental record and is the responsibility of the dentist who is performing the dental procedures.*
- 03. A dentist who intends to use the services of a qualified anesthesia provider shall notify the Board in writing of his intent. Such notification need only be submitted once every licensing period.*
- 04. A dentist who intends to use the services of a qualified anesthesia provider may advertise the service provided so long as each such advertisement contains a prominent disclaimer that the service "will be provided by a qualified anesthesia provider".*

By signing below, I hereby attest that I intend to perform dental procedures for a patient or patients who may receive anesthesia induced by an anesthesiologist, a certified registered nurse anesthetist, or another dentist with a sedation permit. I further attest that I have reviewed the attached rules regarding sedation and shall have the same personnel, facilities, equipment and drugs available during the procedure(s) and during recovery as required of a dentist who has a permit for the level of sedation being provided.

Dentist Name: _____

Practice Address: _____

Office Telephone Number: _____

Email: _____

Printed Name of Dentist

Printed Name of Anesthesia Provider

Signature of Dentist

Signature of Anesthesia Provider

Date

Date

BOARD OF DENTISTRY ADMINISTRATIVE RULES – SEDATION

**IDAPA 19
TITLE 01
Chapter 01**

IDAPA 19 - IDAHO STATE BOARD OF DENTISTRY

19.01.01 - RULES OF THE IDAHO STATE BOARD OF DENTISTRY

000. LEGAL AUTHORITY (RULE 0).

This Chapter is adopted under the legal authority of Chapter 9, Title 54, Idaho Code.

001. TITLE AND SCOPE (RULE 1).

These rules shall be cited as IDAPA 19.01.01, “Rules of the Idaho State Board of Dentistry”. These rules constitute the minimum requirements for licensure and regulation of dentists and dental hygienists.

(BREAK IN CONTINUITY OF SECTIONS)

054. DEFINITIONS (RULE 54).

For the purposes of these anesthesia rules, the following terms will be used, as defined below:

- 01. Methods of Anxiety and Pain Control.** (4-11-06)
- a.** Analgesia shall mean the diminution or elimination of pain. (4-7-11)
- b.** Local anesthesia shall mean the elimination of sensation, especially pain, in one (1) part of the body by the topical application or regional injection of a drug. (4-7-11)
- c.** Minimal sedation shall mean a minimally depressed level of consciousness that retains the patient’s ability to independently and continuously maintain an airway and respond normally to tactile stimulation and verbal command. Although cognitive function and coordination may be modestly impaired, ventilator and cardiovascular functions are unaffected. In accord with this particular definition, the drugs and/or techniques used should carry a margin of safety wide enough never to render unintended loss of consciousness. Further, patients whose only response is reflex withdrawal from repeated painful stimuli would not be considered to be in a state of minimal sedation. (4-7-11)
- d.** Moderate sedation shall mean a drug-induced depression of consciousness during which patients respond purposefully to verbal commands, either alone or accompanied by light tactile stimulation. No interventions are required to maintain a patent airway, and spontaneous ventilation is adequate. Cardiovascular function is usually maintained. (4-7-11)
- e.** Deep sedation shall mean a drug-induced depression of consciousness during which patients cannot be easily aroused but respond purposefully following repeated or painful

stimulation. The ability to independently maintain ventilator function may be impaired. Patients may require assistance in maintaining a patent airway, and spontaneous ventilation may be inadequate. Cardiovascular function is usually maintained. (4-7-11)

f. General anesthesia shall mean a drug-induced loss of consciousness during which patients are not arousable, even by painful stimulation. The ability to independently maintain ventilator function is often impaired. Patients often require assistance in maintaining a patent airway, and positive pressure ventilation may be required because of depressed spontaneous ventilation or drug-induced depression of neuromuscular function. Cardiovascular function may be impaired. (4-7-11)

02. Sedation Terms. (4-11-06)

a. Advanced Cardiac Life Support (ACLS) shall mean an advanced cardiac life support course or a pediatric advanced life support course offered by a recognized accredited organization. (4-11-15)

b. Monitor or monitoring shall mean the direct clinical observation of a patient during the administration of anesthesia by a person trained to observe the physical condition of the patient and capable of assisting with emergency or other procedures. (4-11-06)

c. Operator shall mean the supervising dentist or another person who is authorized by these rules to induce and administer the proper level of anesthesia/sedation. (4-11-15)

d. Titration shall mean the administration of incremental doses of a drug until a desired effect is reached. Knowledge of each drug's time of onset, peak response and duration of action is essential to avoid over sedation. Although the concept of titration of a drug to effect is critical for patient safety, when the intent is moderate sedation one must know whether the previous dose has taken full effect before administering an additional drug increment. (4-7-11)

e. Maximum recommended dose (MRD) shall mean maximum FDA-recommended dose of a drug, as printed in FDA-approved labeling for unmonitored home use. (3-20-14)

f. Incremental dosing shall mean administration of multiple doses of a drug until a desired effect is reached, but not to exceed the maximum recommended dose (MRD). (4-7-11)

g. Supplemental dosing during minimal sedation shall mean a single additional dose of the initial drug that may be necessary for prolonged procedures. The supplemental dose should not exceed one-half of the initial dose and should not be administered until the dentist has determined the clinical half-life of the initial dosing has passed. The total aggregate dose must not exceed one and one-half times (1.5x) MRD on the day of treatment. (4-7-11)

03. Routes of Administration. (4-11-06)

a. Enteral. Any technique of administration in which the agent is absorbed through the gastrointestinal (GI) tract or oral mucosa (i.e., oral, rectal, sublingual). (4-11-06)

b. Inhalation. A technique of administration in which a gaseous or volatile agent is introduced into the lungs and whose primary effect is due to absorption through the gas/blood interface. (4-7-11)

c. Parenteral. A technique of administration in which the drug bypasses the gastrointestinal (GI) tract [i.e., intramuscular (IM), intravenous (IV), intranasal (IN), submucosal (SM), subcutaneous (SC), intraosseous (IO)]. (4-7-11)

d. Transdermal. A technique of administration in which the drug is administered by patch or iontophoresis through skin. (4-7-11)

e. Transmucosal. A technique of administration in which the drug is administered across mucosa such as intranasal, sublingual, or rectal. (4-7-11)

055. MINIMAL SEDATION (RULE 55).

Persons licensed to practice dentistry in accordance with the Idaho Dental Practice Act and these rules are not required to obtain a permit to administer minimal sedation to patients of sixteen (16) years of age or older. In cases where the patient weighs less than one hundred (100) pounds, or is under the age of sixteen (16) years, minimal sedation may be administered without a permit by use of nitrous oxide, or with a single enteral dose of a sedative agent administered in the dental office. When the intent is minimal sedation, the appropriate initial dosing of a single enteral drug is no more than the maximum recommended dose (MRD) of a drug that can be prescribed for unmonitored home use. (3-20-14)

01. Patient Safety. The administration of minimal sedation is permissible so long as it does not produce an alteration of the state of consciousness in a patient to the level of moderate sedation, deep sedation or general anesthesia. A dentist must first qualify for and obtain the appropriate permit from the Board of Dentistry to be authorized to sedate patients to the level of moderate sedation, deep sedation or general anesthesia. Nitrous oxide/oxygen may be used in combination with a single enteral drug in minimal sedation, except as described in Section 055 of these rules. Notwithstanding any other provision in these rules, a dentist shall initiate and regulate the administration of nitrous oxide/oxygen when used in combination with minimal sedation. (3-20-14)

02. Personnel. At least one (1) additional person currently certified in Basic Life Support for Healthcare Providers must be present in addition to the dentist. (4-7-11)

056. LOCAL ANESTHESIA (RULE 56).

Persons licensed to practice dentistry and dental hygiene in accordance with the Idaho Dental Practice Act and these rules are not required to obtain a permit to administer local anesthesia to patients. Dental offices in which local anesthesia is administered to patients shall, at a minimum, have and maintain suction equipment capable of aspirating gastric contents from the mouth and pharynx, a portable oxygen delivery system including full face masks and a bag-valve mask combination capable of delivering positive pressure, oxygen-enriched ventilation to the patient, a blood pressure cuff of appropriate size and a stethoscope. (4-11-06)

057. NITROUS OXIDE/OXYGEN (RULE 57).

Persons licensed to practice dentistry and dental hygiene and dental assistants certified in accordance with the Idaho Dental Practice Act and these rules are not required to obtain a permit to administer nitrous oxide/oxygen to patients. Nitrous oxide/oxygen when used in combination with other sedative agents may produce an alteration of the state of consciousness in a patient to the level of moderate sedation, deep sedation or general anesthesia. A dentist must first qualify for and obtain the appropriate permit from the Board of Dentistry to be authorized to sedate patients to the level of moderate sedation, deep sedation or general anesthesia. (4-7-11)

01. Patient Safety. In connection with the administration of nitrous oxide/oxygen, a dentist shall: (4-7-11)

a. Evaluate the patient to insure that the patient is an appropriate candidate for nitrous/oxygen; and (4-7-11)

b. Insure that any patient under nitrous/oxygen shall be continually monitored; and (4-7-11)

c. Insure that a second person shall be on the office premises who can immediately respond to any request from the person administering the nitrous/oxygen. (4-7-11)

02. Required Facilities and Equipment. Dental offices in which nitrous oxide/oxygen is administered to patients shall, at a minimum and in addition to emergency medications, maintain appropriate facilities and have equipment on site for immediate use as follows: (4-7-11)

a. A nitrous oxide delivery system with a fail-safe system that is maintained in working order: (3-20-14)

i. A functioning device that prohibits the delivery of less than thirty percent (30%) oxygen; or (4-7-11)

ii. An appropriately calibrated and functioning in-line oxygen analyzer with audible alarm; and (4-7-11)

b. An appropriate scavenging system must be available; and (4-7-11)

c. A positive-pressure oxygen delivery system suitable for the patient being treated. (4-7-11)

03. Personnel. For nitrous oxide/oxygen administration, personnel shall include: (4-7-11)

a. An operator; and (4-11-06)

- b. An assistant currently certified in Basic Life Support for Healthcare Providers. (4-7-11)

- c. Auxiliary personnel must have documented training in Basic Life Support for Healthcare Providers, shall have specific assignments, and shall have current knowledge of the emergency cart inventory. The dentist and all office personnel must participate in periodic reviews of office emergency protocol. (4-7-11)

058. -- 059. (RESERVED)

060. MODERATE SEDATION (RULE 60).

Dentists licensed in the state of Idaho cannot administer moderate sedation in the practice of dentistry unless they have obtained the proper moderate sedation permit from the Idaho State Board of Dentistry. A moderate sedation permit may be either enteral or parenteral. A moderate enteral sedation permit authorizes dentists to administer moderate sedation by either enteral or combination inhalation-enteral routes of administration. A moderate parenteral sedation permit authorizes a dentist to administer moderate sedation by any route of administration. A dentist shall not administer moderate sedation to children under sixteen (16) years of age and one hundred (100) pounds unless they have qualified for and been issued a moderate parenteral sedation permit. (3-29-12)

01. Requirements for a Moderate Enteral Sedation Permit. To qualify for a moderate enteral sedation permit, a dentist applying for a permit shall provide proof that the dentist has completed training in the administration of moderate sedation to a level consistent with that prescribed in the American Dental Association’s “Guidelines for Teaching Pain Control and Sedation to Dentists and Dental Students,” as incorporated in Section 004 in these rules. The five (5) year requirement regarding the required training for a moderate enteral sedation permit shall not be applicable to applicants who hold an equivalent permit in another state which has been in effect for the twelve (12) month period immediately prior to the application date. To obtain a moderate enteral sedation permit, a dentist must provide verification of the following: (4-11-15)

- a. Completion of an American Dental Association accredited or Board of Dentistry approved post-doctoral training program within five (5) years of the date of application for a moderate enteral sedation permit that included documented training of a minimum of twenty-four (24) hours of instruction plus management of at least ten (10) adult case experiences by the enteral and/or enteral-nitrous oxide/oxygen route. These ten (10) cases must include at least three live clinical dental experiences managed by participants in groups no larger than five (5). The remaining cases may include simulations and/or video presentations, but must include one experience in returning a patient from deep to moderate sedation; and (4-7-11)

- b. Current certification in Advanced Cardiac Life Support. (4-11-15)

02. Requirements for a Moderate Parenteral Sedation Permit. To qualify for a moderate parenteral sedation permit, a dentist applying for a permit shall provide proof that the dentist has completed training in the administration of moderate parenteral sedation as prescribed

in the American Dental Association's "Guidelines for Teaching Pain Control and Sedation to Dentists and Dental Students," as incorporated in Section 004 of these rules within the five (5) year period immediately prior to the date of application for a moderate parenteral sedation permit. The five (5) year requirement shall not be applicable to applicants who hold an equivalent permit in another state which has been in effect for the twelve (12) month period immediately prior to the date of application. The training program shall: (4-7-11)

a. Be sponsored by or affiliated with a dental school accredited by the Commission on Dental Accreditation of the American Dental Association or a teaching hospital or facility approved by the Board of Dentistry; and (4-5-00)

b. Consist of a minimum of sixty (60) hours of instruction, plus management of at least twenty (20) patients by the intravenous route; and (4-7-11)

c. Include the issuance of a certificate of successful completion that indicates the type, number of hours, and length of training received. (3-18-99)

d. In addition, the dentist must maintain current certification in Advanced Cardiac Life Support. (4-11-15)

03. General Requirements for Moderate Enteral and Moderate Parenteral Sedation Permits.

The qualified dentist is responsible for the sedative management, adequacy of the facility and staff, diagnosis and treatment of emergencies related to the administration of moderate sedation and providing the equipment, drugs and protocol for patient rescue. Evaluators appointed by the Idaho State Board of Dentistry will periodically assess the adequacy of the facility and competence of the anesthesia team. The Board adopts the standards incorporated by reference in Section 004.01.c. and Section 004.01.d. of these rules as set forth by the American Dental Association. (4-11-15)

a. Facility, Equipment and Drug Requirements. The following facilities, equipment and drugs shall be available for immediate use during the sedation and recovery phase: (4-11-15)

i. An operating room large enough to adequately accommodate the patient on an operating table or in an operating chair and to allow an operating team of at least two (2) individuals to freely move about the patient; (4-11-15)

ii. An operating table or chair that permits the patient to be positioned so the operating team can maintain the patient's airway, quickly alter the patient's position in an emergency, and provide a firm platform for the administration of basic life support; (4-11-15)

iii. A lighting system that permits evaluation of the patient's skin and mucosal color and a backup lighting system of sufficient intensity to permit completion of any operation underway in the event of a general power failure; (4-11-15)

iv. Suction equipment that permits aspiration of the oral and pharyngeal cavities and

a backup suction device which will function in the event of a general power failure; (4-11-15)

v. An oxygen delivery system with adequate full face mask and appropriate connectors that is capable of delivering high flow oxygen to the patient under positive pressure, together with an adequate backup system; (4-11-15)

vi. A recovery area that has available oxygen, adequate lighting, suction and electrical outlets. The recovery area can be the operating room; (4-11-15)

vii. A sphygmomanometer, pulse oximeter, oral and nasopharyngeal airways, supraglottic airway devices, and automated external defibrillator (AED); and (4-11-15)

viii. Emergency drugs including, but not limited to, pharmacologic antagonists appropriate to the drugs used, bronchodilators, and antihistamines. (4-11-15)

ix. Additional emergency equipment and drugs required for moderate parenteral sedation permits include precordial/pretracheal stethoscope, intravenous fluid administration equipment, vasopressors, and anticonvulsants. (4-11-15)

b. Personnel. For moderate sedation, the minimum number of personnel shall be two (2) including: (4-7-11)

i. The operator; and (10-1-87)

ii. An assistant currently certified in Basic Life Support for Healthcare Providers. (4-7-11)

iii. Auxiliary personnel must have documented training in basic life support for healthcare providers, shall have specific assignments, and shall have current knowledge of the emergency cart inventory. The dentist and all office personnel must participate in documented periodic reviews of office emergency protocol, including simulated exercises, to assure proper equipment function and staff interaction. (4-11-15)

c. Pre-sedation Requirements. Before inducing moderate sedation, a dentist shall: (4-11-15)

i. Evaluate the patient's medical history and document, using the American Society of Anesthesiologists Patient Physical Status Classifications, that the patient is an appropriate candidate for moderate sedation; (4-11-15)

ii. Give written preoperative and postoperative instructions to the patient or, when appropriate due to age or psychological status of the patient, the patient's guardian; (4-11-15)

iii. Obtain written informed consent from the patient or patient's guardian for the sedation; and (4-11-15)

iv. Maintain an anesthesia record, and enter the individual patient's sedation into a case/drug log. (4-11-15)

d. Patient Monitoring. Patients shall be monitored as follows: (4-11-15)

i. Patients must have continuous monitoring using pulse oximetry. The patient's blood pressure, heart rate, and respiration shall be recorded every five (5) minutes during the sedation and then continued every fifteen (15) minutes until the patient meets the requirements for discharge. These recordings shall be documented in the patient record. The record must also include documentation of preoperative and postoperative vital signs, all medications administered with dosages, time intervals and route of administration. If this information cannot be obtained, the reasons shall be documented in the patient's record. A patient under moderate sedation shall be continuously monitored; (4-11-15)

ii. During the recovery phase, the patient must be monitored by an individual trained to monitor patients recovering from moderate sedation; (4-11-15)

iii. A dentist shall not release a patient who has undergone moderate sedation except to the care of a responsible third party; (4-11-15)

iv. The dentist shall assess the patient's responsiveness using preoperative values as normal guidelines and discharge the patient only when the following criteria are met: vital signs are stable, patient is alert and oriented, and the patient can ambulate with minimal assistance; and (4-11-15)

v. A discharge entry shall be made by the dentist in the patient's record indicating the patient's condition upon discharge and the name of the responsible party to whom the patient was discharged. (4-11-15)

e. Sedation of Other Patients. The permit holder shall not initiate sedation on another patient until the previous patient is in a stable monitored condition and in the recovery phase following discontinuation of their sedation. (4-11-15)

f. Permit Renewal. Renewal of the permit will be required every five (5) years. Proof of a minimum of twenty-five (25) credit hours continuing education in moderate sedation which may include training in medical/office emergencies will be required to renew a permit. A fee shall be assessed to cover administrative costs. In addition to the continuing education hours, a dentist must: (3-20-14)

i. For a moderate enteral sedation permit, maintain current certification in basic life support for healthcare providers or advanced cardiac life support; (4-11-15)

ii. For a moderate parenteral sedation permit, maintain current certification in advanced cardiac life support. (3-20-14)

g. Reinstatement. A dentist may make application for the reinstatement of an expired or surrendered permit issued by the Board under this rule within five (5) years of the date of the permit's expiration or surrender. Applicants for reinstatement of a permit shall satisfy the facility and personnel requirements of this rule and shall be required to verify that they have obtained an average of five (5) credit hours of continuing education in moderate sedation for each year subsequent to the date upon which the permit expired or was surrendered. A fee for reinstatement shall be assessed to cover administrative costs. (4-7-11)

061. GENERAL ANESTHESIA AND DEEP SEDATION (RULE 61).

Dentists licensed in the state of Idaho cannot use general anesthesia or deep sedation in the practice of dentistry unless they have obtained the proper permit from the Idaho State Board of Dentistry by conforming with the following conditions: (4-7-11)

01. Requirements for a General Anesthesia and Deep Sedation Permit. A dentist applying for a permit to administer general anesthesia or deep sedation shall provide proof that the dentist: (4-11-15)

a. Has completed an advanced education program accredited by the ADA Commission on Dental Accreditation that affords comprehensive and appropriate training necessary to administer and manage deep sedation or general anesthesia, commensurate with Part IV.C of the American Dental Association's "Guidelines for the Use of Sedation and General Anesthesia by Dentists" within the five (5) year period immediately prior to the date of application for a permit. The five (5) year requirement shall not be applicable to applicants who hold an equivalent permit in another state which has been in effect for the twelve (12) month period immediately prior to the date of application; and (4-7-11)

b. Current Certification in Advanced Cardiac Life Support; and (4-11-15)

c. Has an established protocol or admission to a recognized hospital. (3-18-99)

02. General Requirements for General Anesthesia and Deep Sedation Permits. The qualified dentist is responsible for the sedative management, adequacy of the facility and staff, diagnosis and treatment of emergencies related to the administration of general anesthesia or deep sedation and providing the equipment, drugs and protocol for patient rescue. Evaluators appointed by the Idaho State Board of Dentistry will periodically assess the adequacy of the facility and competence of the anesthesia team. The Board adopts the standards incorporated by reference in Section 004 of these rules, as set forth by the American Association of Oral and Maxillofacial Surgeons in their office anesthesia evaluation manual. (4-11-15)

a. Facility, Equipment and Drug Requirements. The following facilities, equipment and drugs shall be available for immediate use during the sedation and recovery phase: (4-11-15)

i. An operating room large enough to adequately accommodate the patient on an operating table or in an operating chair and to allow an operating team of at least two (2) individuals to freely move about the patient; (4-11-15)

ii. An operating table or chair that permits the patient to be positioned so the operating team can maintain the patient's airway, quickly alter the patient's position in an emergency, and provide a firm platform for the administration of basic life support; (4-11-15)

iii. A lighting system that permits evaluation of the patient's skin and mucosal color and a backup lighting system of sufficient intensity to permit completion of any operation underway in the event of a general power failure; (4-11-15)

iv. Suction equipment that permits aspiration of the oral and pharyngeal cavities and a backup suction device that will function in the event of a general power failure; (4-11-15)

v. An oxygen delivery system with adequate full face mask and appropriate connectors that is capable of delivering high flow oxygen to the patient under positive pressure, together with an adequate backup system; (4-11-15)

vi. A recovery area that has available oxygen, adequate lighting, suction and electrical outlets. The recovery area can be the operating room; (4-11-15)

vii. A sphygmomanometer, precordial/pretracheal stethoscope, end-tidal carbon dioxide monitor, pulse oximeter, oral and nasopharyngeal airways, supraglottic airway devices, intravenous fluid administration equipment, and automated external defibrillator (AED); and (4-11-15)

viii. Emergency drugs including, but not limited to, pharmacologic antagonists appropriate to the drugs used, vasopressors, bronchodilators, antihistamines, and anticonvulsants. (4-11-15)

b. Personnel. For general anesthesia or deep sedation, the minimum number of personnel shall be three (3) including: (4-7-11)

i. A qualified operator to direct the sedation; and (4-11-15)

ii. Two (2) additional individuals who have current certification in Basic Life Support for the Healthcare Provider. (4-7-11)

iii. When the same individual administering the deep sedation or general anesthesia is performing the dental procedure, one (1) of the additional appropriately trained team members must be designated for patient monitoring. (4-7-11)

c. Pre-sedation Requirements. Before inducing general anesthesia or deep sedation, a dentist shall: (4-11-15)

i. Evaluate the patient's medical history and document, using the American Society of Anesthesiologists Patient Physical Status Classifications, that the patient is an appropriate candidate for deep sedation; (4-11-15)

ii. Give written preoperative and postoperative instructions to the patient or, when appropriate due to age or psychological status of the patient, the patient's guardian; (4-11-15)

iii. Obtain written informed consent from the patient or patient's guardian for the sedation; and (4-11-15)

iv. Maintain an anesthesia record, and enter the individual patient's sedation into a case/drug log. (4-11-15)

d. Patient Monitoring. Patients shall be monitored as follows: (4-11-15)

i. Patients must have continuous monitoring using pulse oximetry and end-tidal carbon dioxide monitors. The patient's blood pressure, heart rate, and respiration shall be recorded every five (5) minutes during the sedation, and then continued every fifteen (15) minutes until the patient meets the requirements for discharge. These recordings shall be documented in the patient record. The record must also include documentation of preoperative and postoperative vital signs, all medications administered with dosages, time intervals and route of administration. If this information cannot be obtained, the reasons shall be documented in the patient's record. A patient under deep sedation or general anesthesia shall be continuously monitored; (4-11-15)

ii. During the recovery phase, the patient must be monitored by an individual trained to monitor patients recovering from general anesthesia and deep sedation; (4-11-15)

iii. A dentist shall not release a patient who has undergone general anesthesia, deep sedation or moderate sedation except to the care of a responsible third party; (4-11-15)

iv. The dentist shall assess the patient's responsiveness using preoperative values as normal guidelines and discharge the patient only when the following criteria are met: vital signs are stable, patient is alert and oriented, and the patient can ambulate with minimal assistance; and (4-11-15)

v. A discharge entry shall be made by the dentist in the patient's record indicating the patient's condition upon discharge and the name of the responsible party to whom the patient was discharged. (4-11-15)

e. Sedation of Other Patients. The permit holder shall not initiate sedation on another patient until the previous patient is in a stable monitored condition and in the recovery phase following discontinuation of their sedation. (4-11-15)

03. Moderate Sedation. A dentist holding a permit to administer general anesthesia or deep sedation under this rule may also administer moderate sedation. (4-7-11)

04. Permit Renewal. Renewal of the permit will be required every five (5) years. Proof of a minimum of twenty-five (25) credit hours of continuing education in general

anesthesia or deep sedation and proof of current certification in Advanced Life Support will be required to renew a permit. A fee shall be assessed to cover administrative costs. (4-11-15)

05. Reinstatement. A dentist may make application for the reinstatement of an expired or surrendered permit issued by the Board under this rule within five (5) years of the date of the permit's expiration or surrender. Applicants for reinstatement of a permit shall satisfy the facility and personnel requirements of this rule and shall be required to verify that they have obtained an average of five (5) credit hours of continuing education in general anesthesia or deep sedation for each year subsequent to the date upon which the permit expired or was surrendered. A fee for reinstatement shall be assessed to cover administrative costs. (4-7-11)

062. USE OF OTHER ANESTHESIA PERSONNEL (RULE 62).

A dentist who does not hold an anesthesia permit may perform dental procedures in a dental office on a patient who receives anesthesia induced by an anesthesiologist, a certified registered nurse anesthetist (CRNA), or another dentist with an anesthesia permit as follows: (3-29-10)

01. Personnel and Equipment Requirements. The dentist shall have the same personnel, facilities, equipment, and drugs available during the procedure and during recovery as required of a dentist who has a permit for the level of anesthesia being provided. (3-29-10)

02. Patient's Condition Monitored Until Discharge. The qualified anesthesia provider who induces anesthesia shall monitor the patient's condition until the patient is discharged and record the patient's condition at discharge in the patient's dental record as required by the rules applicable to the level of anesthesia being induced. The anesthesia record shall be maintained in the patient's dental record and is the responsibility of the dentist who is performing the dental procedures. (3-29-10)

03. Use of Services of a Qualified Anesthesia Provider. A dentist who intends to use the services of a qualified anesthesia provider shall notify the Board in writing of his intent. Such notification need only be submitted once every licensing period. (3-29-10)

04. Advertising. A dentist who intends to use the services of a qualified anesthesia provider may advertise the service provided so long as each such advertisement contains a prominent disclaimer that the service "will be provided by a qualified anesthesia provider." (3-29-10)

063. INCIDENT REPORTING (RULE 63).

Dentists shall report to the Board, in writing, within seven (7) days after the death or transport to a hospital or emergency center for medical treatment for a period exceeding twenty-four (24) hours of any patient to whom sedation was administered. (4-7-11)

064. SUSPENSION, REVOCATION OR RESTRICTION OF ANESTHESIA PERMIT (RULE 64).

The Board may, at any time and for just cause, institute proceedings to revoke, suspend, or otherwise restrict an anesthesia permit issued pursuant to Sections 060 and 061 of these rules. If the Board determines that emergency action is necessary to protect the public, summary

suspension may be ordered pending further proceedings. Proceedings to suspend, revoke or restrict a permit shall be subject to applicable statutes and rules governing administrative procedures before the Board. (3-18-99)

065. DETERMINATION OF DEGREE OF SEDATION BY THE BOARD (RULE 65).

In any matter under review or in any proceeding being conducted in which the Board must determine the degree of central nervous system depression, the Board may base its findings or conclusions on, among other matters, the type, and dosages, and routes of administration of drugs administered to the patient and what result can reasonably be expected from those drugs in those dosages and routes administered in a patient of that physical and psychological status.

(4-11-15)

02. Expected Results. The result that can reasonably be expected from the medication(s) administered when considering the physical and psychological status of the patient.

(4-11-06)

066. -- 999. (RESERVED)